

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 1 | (US-20030055962-\$).did. | US-PGPUB | OR | ON | 2005/09/28 16:18 |
| L2 | 1 | 1 and "router compliance table" | US-PGPUB | OR | ON | 2005/09/28 16:19 |
| L3 | 1 | 1 and "router compliance table" same port | US-PGPUB | OR | ON | 2005/09/28 16:24 |
| L4 | 1 | 1 and "router compliance table" same address | US-PGPUB | OR | ON | 2005/09/28 16:37 |
| L5 | 0 | 1 and switch | US-PGPUB | OR | ON | 2005/09/28 16:38 |
| L6 | 1 | 1 and "313" | US-PGPUB | OR | ON | 2005/09/28 16:38 |
| L7 | 19 | (US-20020112076-\$ or US-20020120782-\$ or US-20030014659-\$ or US-20030123465-\$ or US-20030055962-\$).did. or (US-5623601-\$ or US-5826014-\$ or US-5987606-\$ or US-5991810-\$ or US-6182141-\$ or US-6182226-\$ or US-6219786-\$ or US-6233618-\$ or US-6389462-\$ or US-6460084-\$ or US-6473406-\$ or US-6606650-\$ or US-6754709-\$ or US-6772214-\$).did. | US-PGPUB ; USPAT | OR | ON | 2005/09/28 16:40 |
| L8 | 6 | 7 and (login authentic\$3) with (user) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 16:46 |
| L9 | 70 | router with (login authentic\$3) with (user) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 16:46 |
| L10 | 15 | (router with (login authentic\$3) with (user)).bsum. | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 16:47 |
| L11 | 17 | (router with (login authentic\$3) with (user)) and content with (filter\$3 restrict\$3) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 16:48 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S1 | 16 | content with (filter\$3 restrict\$3) with (port adj number) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 11:43 |
| S2 | 17 | content with (custom\$7 personal\$7 filter\$3 restrict\$3) with (port adj number) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:04 |
| S3 | 35 | content with (custom\$7 personal\$7 filter\$3 restrict\$3 block\$3) with (port adj number) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 13:24 |
| S4 | 123 | content with (receiv\$3 receipt\$3 delivery) with (port adj number) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 10:38 |
| S5 | 4587 | content adj filter\$3 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 11:04 |
| S6 | 94 | S5 and port adj number | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 10:41 |
| S7 | 329 | content adj filter\$3 with (client user) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 10:41 |
| S8 | 23 | S7 and port adj number | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 10:41 |
| S9 | 16 | content adj filter\$3 same (client terminal workstation console) with (install\$3 add\$3) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 11:05 |
| S10 | 9 | (content adj filter\$3 same (client terminal workstation console) with (install\$3 add\$3)).bsum. | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 11:05 |

| | | | | | | |
|-----|-----|---|-------------------------------|----|----|---------------------|
| S11 | 55 | ("5678041" "5696898" "5706507" "5708780" "5710883" "5835712" "5889958" "5933600" "5933827" "5941947" "5950195" "5953732" "5983176" "5991810" "6078924" "6088717" "6154775").PN. OR ("6233618").URPN. | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 12:02 |
| S12 | 34 | S11 and (proxy gateway intermediary) | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 12:02 |
| S13 | 1 | "6738901".pn. | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 12:17 |
| S14 | 0 | content adj (filter\$3 restrict\$3) and port adj renumber\$3 | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 12:21 |
| S15 | 0 | port adj renumber\$3 | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 12:21 |
| S16 | 534 | port adj translat\$3 | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 13:24 |
| S17 | 0 | content adj (filter\$3 restrict\$3) and S16 | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 12:41 |
| S18 | 182 | content adj (filter\$3 restrict\$3) and proxy and gateway | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 12:52 |
| S19 | 66 | content adj (filter\$3 restrict\$3) and proxy with cach\$3 and gateway | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 12:43 |
| S20 | 0 | S19 and prot | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 12:43 |
| S21 | 31 | S19 and port | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 12:43 |
| S22 | 14 | ("5678041" "5826014" "5878233" "5884025" "5913025" "5991810" "6081900" "6112228" "6122666" "6151584" "6151601" "6438579" "6493744" "6513061"). PN. OR ("6772214").URPN. | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 12:46 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S23 | 120 | ("4713753" "4727243" "4799153" "4799156" "5191611" "5241594" "5416842" "5483661" "5491752" "5495533" "5548721" "5550984" "5577209" "5590199" "5602918" "5606668" "5623601" "5632011" "5636371" "5638448" "5657452" "5668876" "5687235").PN. OR ("5826014").URPN. | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 12:48 |
| S24 | 94 | content adj (filter\$3 restrict\$3) and (filter\$3 restrict\$3) with (rule) with (user ip adj address) | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 12:53 |
| S25 | 22 | ("5673322" "5706507" "5732216").PN. OR ("5987606").URPN. | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 13:06 |
| S26 | 44 | S24 and port | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 13:07 |
| S27 | 9 | (proxy gateway) with (listen\$3) with (different special odd rare) with (port) | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 13:11 |
| S28 | 9 | (proxy gateway) with (listen\$3) with (different special odd rare) with (port) | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 13:12 |
| S29 | 3 | (proxy gateway) with (listen\$3) with (port) and (content) adj (filter\$3 restrict\$3) | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 13:13 |
| S30 | 27 | (listen\$3) with (port) and (content) adj (filter\$3 restrict\$3) | US-PGPUB ; USPAT; USOCR | OR | ON | 2005/08/27 13:24 |
| S31 | 154 | (port adj translat\$3). bsum. | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 13:41 |
| S32 | 20 | switch with (serveriron alpine) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 13:41 |
| S33 | 265 | cacheflow inktomi | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 14:10 |

| | | | | | | |
|-----|-----|-------------------------------------|---|----|----|---------------------|
| S34 | 26 | websense surfcontrol | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 13:53 |
| S35 | 309 | S32 S33 S34 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 13:41 |
| S36 | 1 | S32 and S33 and S34 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 13:42 |
| S37 | 1 | S33 and S34 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 13:42 |
| S38 | 58 | S33 and port | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 14:10 |
| S39 | 17 | S33 and port adj number | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 13:50 |
| S40 | 118 | "port address translation" | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 13:51 |
| S41 | 5 | S40 and content with (filter\$3) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 13:51 |
| S42 | 7 | S34 and proxy | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 14:10 |
| S43 | 81 | S33 and proxy | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 14:10 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S44 | 26 | S43 and port | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 14:11 |
| S45 | 1 | (US-6389462-\$).did. | USPAT | OR | ON | 2005/08/27 14:11 |
| S46 | 1 | S45 and (bogus ghost) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 14:21 |
| S47 | 1 | S45 and "80" | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 14:21 |
| S48 | 3 | transparent adj proxy and content adj filter\$3 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 14:56 |
| S49 | 0 | squidguard | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 15:35 |
| S50 | 7494 | squid | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 16:15 |
| S51 | 34 | squid with proxy with cach\$3 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 16:15 |
| S52 | 19 | S51 and port | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/27 16:15 |
| S53 | 3 | (smart intelligent) with (proxy) with cach\$3 same (filter\$3 restrict\$3) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 17:16 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S54 | 23 | ("14" layer adj ("4" four) with switch) and content adj filter\$3 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 17:22 |
| S55 | 3 | ("14" layer adj ("4" four) with switch) same redirect\$3 and content adj filter\$3 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 17:16 |
| S56 | 20 | ("14" layer adj ("4" four) adj switch) and content adj filter\$3 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 17:22 |
| S57 | 223 | ((("14" layer adj ("4" four)) adj switch) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 17:23 |
| S58 | 26 | ((("14" layer adj ("4" four)) adj switch) with redirect\$3 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 17:30 |
| S59 | 0 | transparent adj proxy with content adj filter\$3 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 17:30 |
| S60 | 0 | transparent adj proxy same content adj filter\$3 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 17:31 |
| S61 | 3 | transparent adj proxy and content adj filter\$3 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 17:31 |
| S62 | 2 | "6,182,141".pn. | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 17:31 |
| S63 | 10 | (transparent adj proxy).ti. | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 17:54 |

| | | | | | | |
|-----|---------|---|---|----|----|---------------------|
| S64 | 16 | ("6182141").URPN. | USPAT | OR | ON | 2005/09/13 17:34 |
| S65 | 1 | (US-6182141-\$).did. | USPAT | OR | ON | 2005/09/13 17:54 |
| S66 | 1 | S65 and well adj known | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 17:54 |
| S67 | 1 | (US-20030014659-\$).did. | US-PGPUB | OR | ON | 2005/09/13 18:28 |
| S68 | 1 | S67 and gateway | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 18:30 |
| S69 | 0 | S67 and port | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/13 18:30 |
| S70 | 2 | "5623601".pn. | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 11:44 |
| S71 | 2 | S70 and port adj number | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 11:45 |
| S72 | 1021913 | port wirh bound with (user client) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 11:45 |
| S73 | 117 | port with bound with (user client) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 11:45 |
| S74 | 53 | port with bound with (user client) and content | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 11:45 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S75 | 22 | port with bound with (user) and content | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 11:46 |
| S76 | 47 | port with (bind\$3 bound) with (user) and content | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 11:46 |
| S77 | 5 | port with (bind\$3 bound) with (user) and content with (restrict\$3 filter\$3) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 11:47 |
| S78 | 10 | port with (bind\$3 bound) with (user client) and content with (restrict\$3 filter\$3) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 12:02 |
| S79 | 8 | st-bernard\$.as. | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 12:02 |
| S80 | 0 | iprism | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 12:02 |
| S82 | 5 | i\$1prism | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 12:03 |
| S83 | 233 | ("5623601").URPN. | USPAT | OR | ON | 2005/09/21 14:03 |
| S84 | 226 | S83 and (port interface socket) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:04 |
| S85 | 116 | S83 and (port interface socket) with (number numeral) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:04 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| S86 | 82 | S83 and (port) with (number numeral) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:07 |
| S87 | 79 | S86 and (@ad<"20011228" @pd<"20011228") | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:38 |
| S88 | 6 | S83 and (port) with (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:39 |
| S89 | 496 | (restrict\$3 filter\$3 prevent\$3 obstruct\$3 disallow\$3 refus\$3) same (port) with (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:39 |
| S90 | 3726 | (restrict\$3 filter\$3 prevent\$3 obstruct\$3 disallow\$3 refus\$3) and (port) with (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:38 |
| S91 | 2798 | S90 and (@ad<"20011228" @pd<"20011228") | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:39 |
| S92 | 705 | S91 and (proxy gateway transparent\$2) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:38 |
| S93 | 72 | S92 and appliance | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:38 |
| S94 | 16888 | (restrict\$3 filter\$3 prevent\$3 obstruct\$3 disallow\$3 refus\$3) with (proxy gateway appliance) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:39 |

| | | | | | | |
|----------|-----|--|---|----|----|---------------------|
| S95 | 154 | S94 and (port) with (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:42 |
| S96 | 87 | S95 and (@ad<"20011228" @pd<"20011228") | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:41 |
| S97 | 52 | (i\$1prism smartfilter "im web inspector" super\$1scout i\$1gear i2100) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:57 |
| S98 | 41 | S97 and (@ad<"20011228" @pd<"20011228") | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:41 |
| S99 | 0 | S96 and S98 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:41 |
| S10 0 | 128 | S96 S98 | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:41 |
| S10 1 | 87 | S100 and (port) with (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:43 |
| S10 2 | 50 | S100 and (port) adj (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:46 |
| S10 3 | 8 | S100 and (port) adj (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3) with (user client) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:52 |

| | | | | | | |
|----------|----|--|---|----|----|---------------------|
| S10 4 | 1 | S100 and (port) adj (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3) with (privilege level authori\$6) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 14:53 |
| S10 5 | 10 | (i\$1prism smartfilter "im web inspector" super\$1scout i\$1gear i2100) and port | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 15:04 |
| S10 6 | 1 | (US-6754709-\$) .did. | USPAT | OR | ON | 2005/09/21 15:03 |
| S10 7 | 0 | S106 and gnet | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 15:04 |
| S10 9 | 1 | S106 and gnat | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 15:04 |
| S11 0 | 1 | S106 and gnat same port | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 15:29 |
| S11 1 | 15 | cacheflow.as. | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 15:29 |
| S11 2 | 15 | cacheflow\$.as. | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 15:30 |
| S11 3 | 10 | cacheflow with appliance | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 18:42 |
| S11 4 | 68 | (determin\$3 identif\$7) with (firewall proxy nat gateway) with (attempt\$3 try\$3 test\$3 attack\$3) with (establish\$3 open\$3 initiat\$5) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 18:49 |

| | | | | | | |
|----------|----|--|---|----|----|---------------------|
| S11 5 | 35 | S114 and (@ad<"20011228" @pd<"20011228") | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 18:48 |
| S11 7 | 24 | interpol and (network internet) and (filter\$3 restrict\$3) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 14:14 |
| S11 8 | 85 | interpol | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 14:14 |
| S11 9 | 25 | sonicwall and (network internet) and (filter\$3 restrict\$3) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 14:14 |
| S12 0 | 1 | (US-20030055962-\$).did. | US-PGPUB | OR | ON | 2005/09/28 14:45 |
| S12 1 | 0 | S120 and sandbox same proxy | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 15:08 |
| S12 2 | 0 | S120 and (authenticat\$3 login logging adj in) | US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/28 15:09 |